

11-12



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/814,384	03/31/2004	John Timothy Otto	B04.12-0075

CONFIRMATION NO. 5523

FORMALITIES LETTER



OC000000012942462

John Veldhuis-Kroeze
 Westman, Champlin & Kelly
 Suite 1600
 900 Second Avenue South
 Minneapolis, MN 55402-3319

Date Mailed: 06/14/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 8-1.


Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

B.H.
 Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named

Inventor : John Timothy Otto et al.

Group Art Unit: 3644

Examiner:

Appln. No.: 10/814,384

Filed : March 31, 2004

For : ICE DETECTOR FOR IMPROVED
ICE DETECTION AT NEAR
FREEZING CONDITION

Docket No.: B04.12-0075

**RESPONSE TO NOTICE TO FILE CORRECTED
APPLICATION PAPERS**

Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I HEREBY CERTIFY THAT THIS PAPER IS
BEING SENT BY U.S. MAIL, FIRST CLASS,
TO THE COMMISSIONER FOR PATENTS,
P.O. BOX 1450, ALEXANDRIA, VA 22313-
1450, THIS

10th DAY OF August, 2004
John Veldhuis-Kroeze
PATENT ATTORNEY

Sir:

In response to the Notice to File Corrected Application Papers dated June 14, 2004, Applicant encloses the following documents to complete the above-identified patent application filed March 31, 2004:

1. Response to Notice to File Corrected Application Papers;
2. Notice to File Corrected Application Papers;
3. 13 sheets of Formal drawings; and
4. Letter to Official Draftsperson.


The Director is authorized to charge payment of any additional fees associated with this paper or credit any overpayment to Deposit Account No. 23-1123.

Respectfully submitted,
WESTMAN, CHAMPLIN & KELLY, P.A.

By:

John Veldhuis-Kroeze

John Veldhuis-Kroeze, Reg. No. 38,354
Suite 1600 - International Centre
900 Second Avenue South
Minneapolis, Minnesota 55402-3319
Phone: (612) 334-3222 Fax: (612) 334-3312



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named

Inventor : John Timothy Otto et al.

Group Art Unit: 3644

Examiner:

Appln. No.: 10/814,384

Filed : March 31, 2004

For : ICE DETECTOR FOR IMPROVED
ICE DETECTION AT NEAR
FREEZING CONDITION

Docket No.: B04.12-0075

LETTER TO OFFICIAL DRAFTSPERSON

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

I HEREBY CERTIFY THAT THIS PAPER IS BEING
SENT BY U.S. MAIL, FIRST CLASS, TO THE
COMMISSIONER FOR PATENTS, P.O. BOX 1450,
ALEXANDRIA, VA 22313-1450, THIS

10th DAY OF August, 2004

John Veldhuis-Kroeze
PATENT ATTORNEY

Sir:

Enclosed are thirteen (13) sheets of formal drawings for
filing in the above-identified application.

Respectfully submitted,

WESTMAN, CHAMPLIN & KELLY, P.A.

By: John Veldhuis-Kroeze
John Veldhuis-Kroeze, Reg. No. 38,354
Suite 1600 - International Centre
900 Second Avenue South
Minneapolis, Minnesota 55402-3319
Phone: (612) 334-3222 Fax: (612) 334-3312

JVK/jme